



THE FINAL BARRIER AGAINST ABRASION, CHEMICALS AND HEAT

ARMATEX® INTUMESCENT/SILICONE COATED FIBERGLASS FABRIC

ARMATEX® INTUMESCENT/SILICONE COATED FIBERGLASS FABRIC a flexible coated fabric that is non-toxic, has no odor, has low heat release and low smoke, and is refractory fire resistant. Coated on one side with an intumescent coating and the other side with silicone rubber, ARMATEX® INTUMESCENT/SILICONE COATED FIBERGLASS is designed for both indoor and outdoor use, with applications including cargo covers, fire and smoke barriers, and construction protective barriers. With outstanding durability and flexibility, ARMATEX® INTUMESCENT/SILICONE COATED FIBERGLASS provides superior protection from UV, moisture and mildew, and has high dirt resistance and excellent washability.

Fiberglass fabric is manufactured in accordance with MIL-I-24244 and MIL-Y-1140.

Coated fabric can be certified to MIL-I-24244 • ASTM E84 • ASTM E162 • NFPA 101 Class A • NFPA 255 • FAR 125.853 Vertical Burn Test • NFPA 417.

STYLE	WEIGHT, OZ/SY (+/- 5%)	THICKNESS, INCHES, (+/- 10%)	WIDTH (INCHES, +/- 5%)	ROLL SIZE
ISF 24	24	0.024	60	50 LY
ISF 28	28	0.028	60	50 LY

Tolerance is +/- 10% unless otherwise stated.

The technical data presented herein are indicative of representative properties and are intended as a specification guide only. No warranties are expressed or implied as application conditions are beyond our control.