



## THE FINAL BARRIER AGAINST ABRASION, CHEMICALS AND HEAT

# ARMATEX® TF17 PTFE COATED FIBERGLASS

ARMATEX® TF 17 PTFE COATED FIBERGLASS is comprised of a high strength fiberglass fabric coated with a specially formulated PTFE resin system. With excellent chemical resistance, abrasion resistance, and high temperature resistance, ARMATEX® TF 17 PTFE COATED FIBERGLASS is an ideal choice for insulation pad and cover fabrication.

### AVERAGE PHYSICAL PROPERTIES

STYLE	TF 17
Coating	PTFE one side
Color	Gray
Thickness, inches, nominal	0.014
Weight, oz/sy, nominal	16.5
Temperature Rating	
Base Fabric	1000°F • 538°C
Coating	500°F • 260°C, transient exposure to 600°F • 316°C
Tensile Strength, lbs, nominal	410 x 355
Width, inches	60 (+/- 5%)
Standard Roll Size	50 LY
Base fabric can be certified to:	MIL-Y-1170 • MIL-I-24244

Tolerance is +/- 10% unless otherwise stated.

The technical data presented herein are indicative of representative properties and are intended as a specification guide only. No warranties are expressed or implied as application conditions are beyond our control.