



THE FINAL BARRIER AGAINST ABRASION, CHEMICALS AND HEAT

HYTEX® 1000 FIBERGLASS INDUSTRIAL TEXTILES

HYTEX® 1000 FIBERGLASS INDUSTRIAL TEXTILES are manufactured from high-quality fiberglass yarn capable of resisting temperatures up to 1000°F • 538°C. Available in a variety of configurations, our fiberglass textiles have high dielectric strength, are resistant to most chemicals, and maintain a large measure of tensile strength at elevated temperatures. In addition, HYTEX® 1000 FIBERGLASS INDUSTRIAL TEXTILES will not burn, smolder, shrink, rot or mildew.



AVERAGE PHYSICAL PROPERTIES

Composition	E-Glass
Color	White
Use Limit	
Continuous	1000°F • 538°C
Short term	1500°F • 815°C

HYTEX 1000 PRODUCTS

PRODUCT	TYPE	WIDTH/DIAMETER	THICKNESS
Cloth	Woven	38" to 60"	Various
Tape	Woven	1/4" to 5"	Various
	Knit	1/4" to 6"	Various
Sleeving	Knit	1/2" to 4"	.060" to .125"
	Matrix Braid	1/8" to 2"	.060" to .125"
Rope	Knit	1/8" to 2"	
	Matrix Braid	1/8" to 2"	

Tolerance is +/- 10% unless otherwise stated.

The technical data presented herein are indicative of representative properties and are intended as a specification guide only. No warranties are expressed or implied as application conditions are beyond our control.